

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	318	disable with profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:02
S2	47	disable with profil\$3 and source adj1 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:24
S3	309	profil\$3 and disk adj1 drive adj1 controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:00
S4	32	profil\$3 same disk adj1 drive adj1 controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:00
S5	20	profil\$3 with disk adj1 drive adj1 controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:01
S6	485	717/124.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:01
S7	278	717/130.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 08:33
S8	4	"disk drive controller" with (debugging profiling)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 08:34
S9	10	("5127103"   "5175856"   "5450586"   "5748881"   "5832205"   "5930470"   "6154856"   "6158045"   "6161216"   "6199152").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/03/09 08:35
S10	75	remove with profil\$3 and source adj1 code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:29

S11	3	remove with profil\$3 with executing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:29
S12	3	disabl\$3 with profil\$3 with executing	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:29
S13	22	disabl\$3 with profil\$3 with execut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:35
S14	211	enabl\$3 with profil\$3 with execut\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:35
S15	1	enabl\$3 with profil\$3 with execut\$3 with remov\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:36
S16	4	remov\$3 with instruction with (enabl\$3 disabl\$3) with profil\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 10:37
S17	2	remov\$3 with instruction with (enabl\$3 disabl\$3) with trac\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:15
S18	217	profile with start adj1 time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:16
S19	217	profile with "start time"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:16
S20	25	profile with "start time" with "end time"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:33

S21	0	"entry time" and "return address" and "number of calls"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:21
S22	0	"number of calls"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:24
S23	283	"start time field"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:24
S24	101	S23 and "end time field"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:26
S25	2	S24 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:26
S26	142	"embedded trace"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:47
S27	4	"times called" and code adj1 coverage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:51
S28	492	profile with table with entries	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:52
S29	22	S28 and "717"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:56
S30	58	profil\$3 with time with table with entry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 14:59

S31	38	profil\$3 and time with parent and time with child and "717"/\$.ccis.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/09 16:13
S32	25	replac\$5 with instruction with instrument\$5 with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:16
S33	108	profil\$3 with address with range	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/10 12:17
S34	64	(drive adj1 controller) with (profil\$3 debug\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:33
S35	1	2000-679068.NRAN.	DERWENT	OR	ON	2005/10/17 09:07
S36	9	"6161216"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:36
S37	63	disable with profil\$3 with (instruction code line command)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/17 09:36
S38	14	("5960198").URPN.	USPAT	OR	ON	2005/10/17 14:14
S41	2	"6161216".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:53
S42	11	pass-count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 14:53